· · · · · · · · · · · · · · · · · · ·	J	
	Application No.	Applicant(s)
N-4: ! All ! 11'4	10/632,762	HIRAO ET AL.
Notice of Allowability	Examiner	Art Unit
	Karl J. Puttlitz	1621
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to Reply filed 6/16/2005.		
2. The allowed claim(s) is/are 1-7.		
3. The drawings filed on $3/(20)$ are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	And Anglia Aire (DTO 452)
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat 98), 7. ☐ Examiner's Amendr	te
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date Examiner's Comment Regarding Requirement for Deposit of Biological Material 	<i>"</i>	ent of Reasons for Allowance
CHOUP TOO		

Application/Control Number: 10/632,762

Art Unit: 1621

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/16/2005 has been entered.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

None of the applied references either teach or motivate those of ordinary skill to modify its disclosure to include the feature wherein an absorbent is introduced into an acrylic acid absorption column at a mass flow rate in the range of 0.1 - 1.5 times the mass flow rate of propylene introduced into a reactor. An updated search also failed to uncover a reference that taught or suggested this feature. With regard to the lower limit of 0.1, the applied references are silent on any modifications regarding the mass low rates of absorbent or propylene, and therefore, any modification on the ratio of mass flow rates is no suggested

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/632,762 Page 3

Art Unit: 1621

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Page 4

Application/Control Number: 10/632,762

Art Unit: 1621

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Karl J. Puttlitz whose telephone number is (571) 272-

0645. The examiner can normally be reached on Monday to Friday from 9 a.m. to 5

p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Johann Richter, can be reached at telephone number (571) 272-0646. The

fax phone number for the organization where this application or proceeding is assigned

is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Karl J. Puttlitz
Assistant Examiner

Johann R. Richter, Ph.D., Esq. Supervisory Patent Examiner

Biotechnology and Organic Chemistry

Art Unit 1621

(571) 272-0646